



## Test Details

Test reference	1
Test date	12/12/2016
Barrel type	Anschutz
Barrel serial no.	286938
Action type	Anschutz 1907
Stock type	Anschutz wood
Head space	0.04 <sup>4</sup> 5
Rounds fired	15000
Clamping method	Gemini
Temperature	23.0
Humidity	23.0
Comments	test with a "Terminator" tube and foresight











## Analysis

Lot	Expected Score	Consolidated group	Distribution of scores - 50m Rifle
1016-02215	632.50		
1016-06184	630.00		
1016-06225	633.51		
1016-06317	634.64		
1016-06323	634.27		




















## Analysis

Lot	Expected Score	Consolidated group	Distribution of scores - 50m Rifle
1016-06345	636.58		 <p style="text-align: right;">424.0</p>










## Test Groups

<p><b>1016-02215</b></p>	<p>106.2</p>  <p>13.2</p>	 <p>15.9</p>	 <p>16.3</p>	 <p>15.9</p>
<p><b>1016-03248</b></p>	<p>104.4</p>  <p>17.9</p>			
<p><b>1016-03250</b></p>	<p>104.5</p>  <p>17.5</p>			
<p><b>1016-03252</b></p>	<p>105.0</p>  <p>16.2</p>			
<p><b>1016-04250</b></p>	<p>105.5</p>  <p>15.3</p>			
<p><b>1016-05215</b></p>	<p>105.4</p>  <p>17.1</p>			
<p><b>1016-05217</b></p>	<p>103.0</p>  <p>20.1</p>			

## Test Groups

1016-06184	106.2  14.4	 20.1	 16.5	 16.8
1016-06193	104.2  18.7			
1016-06225	106.1  14.1	 18.4	 13.6	 17.7
1016-06316	105.1  15.9			
1016-06317	106.5  12.1	 14.3	 14.7	 17.0
1016-06323	105.9  15.0	 12.4	 16.0	 15.0
1016-06325	105.4  16.4			

## Test Groups

<p><b>1016-06345</b></p>	<p>106.8</p>  <p>12.6</p>	 <p>15.5</p>	 <p>15.2</p>	 <p>12.1</p>
<p><b>1016-08193</b></p>	<p>104.2</p>  <p>18.5</p>			
<p><b>1016-08222</b></p>	<p>104.9</p>  <p>17.8</p>			
<p><b>1016-08304</b></p>	<p>105.9</p>  <p>16.9</p>			
<p><b>1016-08307</b></p>	<p>105.5</p>  <p>16.9</p>			
<p><b>1016-08313</b></p>	<p>105.4</p>  <p>17.3</p>			